

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3866	(channel\$1 same (sub-channel\$1 or subchannel\$1)) and @AD<"20010206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/20 19:02
L2	34	L1 and (map\$4 with (channel\$1 or sub-channel\$1 or subchannel\$1) with rate\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/20 19:02
L3	31	L2 and (segment\$7 or partition\$4 or block\$1 or (mini adj (cell\$1 or packet\$2 or frame\$1)) or subcell\$1 or subpacket\$2 or subframe\$1 or sub-cell\$1 or sub-packet\$2 or sub-frame\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/20 19:08
L4	3866	(channel\$1 same (sub-channel\$1 or subchannel\$1)) and @AD<"20010206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/20 19:03
L5	34	L4 and (map\$4 with (channel\$1 or sub-channel\$1 or subchannel\$1) with rate\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/20 19:08
L6	23	(timeslot\$1 or time-slot\$1 or (time adj slot\$1)) and (mini-timeslot\$1 or minislots\$1 or mini-slot\$1 or (mini adj (slot or timeslot\$1 or time-slot\$1)) or sub-timeslot\$1 or subtimeslot\$1 or subslot\$) and (\$DSL or (digital adj subscriber adj line\$1)) and @AD<"20010206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/20 19:08
L7	21	L6 and (map\$4 or match\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/20 19:03

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	1	((segment\$7 or partition\$4 or block\$1 or (mini adj (cell\$1 or packet\$2 or frame\$1)) or subcell\$1 or subpacket\$2 or subframe\$1 or sub-cell\$1 or sub-packet\$2 or sub-frame\$1) and ((subchannel\$1 or sub-channel\$1) adj (rate\$1 or bandwidth)) and (map\$4 or match\$4) and (assign\$4 or allocat\$4) and ratio and ((pair or two) adj3 (subchannel\$1 or sub-channel\$1))).clm.	US-PGPUB	OR	OFF	2007/01/20 19:05
L9	3	((segment\$7 or partition\$4 or block\$1 or (mini adj (cell\$1 or packet\$2 or frame\$1)) or subcell\$1 or subpacket\$2 or subframe\$1 or sub-cell\$1 or sub-packet\$2 or sub-frame\$1) and (subchannel\$1 or sub-channel\$1) and (rate\$1 or bandwidth) and (map\$4 or match\$4) and (assign\$4 or allocat\$4) and ratio and (pair or two)).clm.	US-PGPUB	OR	OFF	2007/01/20 19:06
L10	1	((segment\$7 or partition\$4 or block\$1 or (mini adj (cell\$1 or packet\$2 or frame\$1)) or subcell\$1 or subpacket\$2 or subframe\$1 or sub-cell\$1 or sub-packet\$2 or sub-frame\$1) and ((subchannel\$1 or sub-channel\$1) adj (rate\$1 or bandwidth)) and (map\$4 or match\$4) and (assign\$4 or allocat\$4) and ratio and ((pair or two) adj3 (subchannel\$1 or sub-channel\$1))).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/01/20 19:06